



# **HV607 SBA**

Sales Proposal For:

**Petersburg Borough**

Presented By:

**RWC INTERNATIONAL, LTD.**


**INTERNATIONAL®**

June 17, 2020

Prepared For:  
Petersburg Borough  
Chris Cotta  
PO Box 329  
Petersburg, AK 99833-0329  
(907)772 - 4430  
Reference ID: SW 081716-NVS

Presented By:  
RWC INTERNATIONAL, LTD.  
Greg Martin  
7880 SANDLEWOOD PLACE  
ANCHORAGE AK 99507 -  
(907)279-9591

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



**Model Profile**  
**2021 HV607 SBA (HV607)**

<b>AXLE CONFIG:</b>	4X2
<b>APPLICATION:</b>	Water Truck
<b>MISSION:</b>	Requested GVWR: 35000. Calc. GVWR: 35000 Calc. Start / Grade Ability: 35.47% / 2.48% @ 55 MPH Calc. Geared Speed: 63.3 MPH
<b>DIMENSION:</b>	Wheelbase: 154.00, CA: 86.90, Axle to Frame: 83.00
<b>ENGINE, DIESEL:</b>	{Cummins B6.7 250} EPA 2017, 250HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max)
<b>TRANSMISSION, AUTOMATIC:</b>	{Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
<b>CLUTCH:</b>	Omit Item (Clutch & Control)
<b>AXLE, FRONT NON-DRIVING:</b>	{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
<b>AXLE, REAR, SINGLE:</b>	{Dana Spicer 23082T} Two-Speed, 23,000-lb Capacity, 200 Wheel Ends Gear Ratio(s): 6.67, 9.08
<b>CAB:</b>	Conventional, Day Cab
<b>TIRE, FRONT:</b>	(2) 11R22.5 Load Range G ECOPLUS HS3 (CONTINENTAL), 495 rev/mile, 75 MPH, All-Position
<b>TIRE, REAR:</b>	(4) 11R22.5 Load Range G HYBRID HD3 (CONTINENTAL), 493 rev/mile, 75 MPH, Drive
<b>SUSPENSION, REAR, SINGLE:</b>	23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
<b>PAINT:</b>	Cab schematic 100WL Location 1: 9219, Winter White (Std) Chassis schematic N/A

(0012EJS)

ATTACHMENTS: 0012THT 0007SCP

<u>Parameter</u>	<u>Value</u>	<u>UOM</u>
Max Accelerator Vehicle Speed	63	MPH
Road Speed Governor Upper Droop	0	MPH
Road Speed Governor Lower Droop	0	MPH
Vehicle Speed Limiter Override	N, DISABLE FEATURE OR FUNCTION	N/A
VSLO Maximum Road Speed Delta	0	MPH
VSLO Maximum Distance	100	MILES
Max Engine Speed No Veh Speed Sensr	2579	RPM
LBSC Enable	N, DISABLE FEATURE OR FUNCTION	N/A
LBSC - Engine Speed Breakpoint	1800	RPM
Gear Down Protection Enable	N, DISABLE FEATURE OR FUNCTION	N/A
GDP - Heavy Load Vehicle Speed	62	MPH
GDP - Light Load Vehicle Speed	57	MPH
Driver Reward Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Driver Reward Mode	0, ROAD SPEED GOVERNOR	N/A
Fuel Economy - Expected Level	5.88	MPG
Fuel Economy - Good Level	6.47	MPG
Fuel Economy - Best Level	6.92	MPG
% Idle Time - Expected Level	30	%
% Idle Time - Good Level	20	%
% Idle Time - Best Level	10	%
Speed Reward - Expected Level	0	MPH
Speed Reward - Good Level	0	MPH
Speed Reward - Best Level	0	MPH
Speed Reward - Penalty Level	0	MPH
Idle Speed Adjustment Enable	Y, ENABLE FEATURE OR FUNCTION	N/A
Low Idle Speed	750	RPM
Idle Shutdown Enable	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Time Before Shutdown	60.0	MIN
ISD Percent Engine Loading	100	%
ISD With PTO	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Manual Override	N, DISABLE FEATURE OR FUNCTION	N/A
ISD With Parking Brake Set	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Ambient Temperature Override	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Cold Ambient Air Temperature	30	F
ISD Intermediate Ambient Air Temp	40	F
ISD Hot Ambient Air Temperature	81	F
ISD Manual Override Inhibit Zone En	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Hot Ambient Automatic Override	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Engine Coolant Temp Threshold	30	F
Vehicle Acceleration Management	N, DISABLE FEATURE OR FUNCTION	N/A
Variable Acceleration Speed 1	20	MPH
Variable Acceleration Speed 2	50	MPH
Variable Acceleration Rate 1	3.60	MPH/SEC
Variable Acceleration Rate 2	3.60	MPH/SEC
Cruise Control Enable	Y, ENABLE FEATURE OR FUNCTION	N/A
CC Maximum Vehicle Speed	63	MPH
CC Save Set Speed	N, DISABLE FEATURE OR FUNCTION	N/A
CC Upper Droop	0.0	MPH
CC Lower Droop	0.0	MPH
CC Auto Resume	N, DISABLE FEATURE OR FUNCTION	N/A
CC Ovrspd Retard Activation Enable	N, DISABLE FEATURE OR FUNCTION	N/A
CC Overspeed for Max Retarder	0.0	MPH
CC Overspeed for Min Retarder	0.0	MPH
Retarder - Min Vehicle Speed	0	MPH
Retarder - Delay Time	0.5	SEC

**INTERNATIONAL®****Electronic Parameters Summary**  
**2021 HV607 SBA (HV607)**

June 17, 2020

Retarder - Service Brake Activation	N, DISABLE FEATURE OR FUNCTION	N/A
Engine Fan Min On Time For AC	30	SEC
Remote Accelerator Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Remote Accelerator Mode	1, REMOTE ACCELERATOR PEDAL OR LEVER WITH TRANS VERIFICATION	N/A
PTO Enable	Y, ENABLE FEATURE OR FUNCTION	N/A
PTO In Cab Mode	Y, ENABLE FEATURE OR FUNCTION	N/A
Remote PTO Enable	Y, ENABLE FEATURE OR FUNCTION	N/A
Remote Station PTO Enable	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Max Engine Speed	2600	RPM
PTO Min Engine Speed	750	RPM
PTO Maximum Engine Load	800	LB-FT
PTO Max Vehicle Speed	2	MPH
PTO Accelerator Override	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Accel Override Max Engine Speed	2800	RPM
PTO Clutch Override	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Service Brake Override	Y, ENABLE FEATURE OR FUNCTION	N/A
PTO Parking Brake Interlock Mode	0, PTO PRK BRK INT TYPE SET TO NONE	N/A
PTO Transmission Neutral Interlock	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Eng Spd Limit w/VSS Limit	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Ignore Vehicle Speed Sensor	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Resume Switch Speed	950	RPM
PTO Set Switch Speed	950	RPM
PTO Additional Switch Speed	950	RPM
PTO Ramp Rate	250	RPM/SEC
Remote PTO Number of Speed Settings	1	N/A
Remote PTO Speed Setting 1	950	RPM
Remote PTO Speed Setting 2	950	RPM
Remote PTO Speed Setting 3	950	RPM
Remote PTO Speed Setting 4	950	RPM
Remote PTO Speed Setting 5	950	RPM
Remote Station PTO Resume Sw Spd	950	RPM
Remote Station PTO Set Switch Speed	950	RPM
Remote Station PTO Addition Sw Spd	950	RPM
Transmission Driven PTO	N, DISABLE FEATURE OR FUNCTION	N/A
Transmission Driven PTO Type	0, ENGINE DRIVEN STEADY LOAD	N/A
Powertrain Protection Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Max Torque Allow By Axle/Driveshaft	23602	LB-FT
Max Torque in Top Gear Range	2995	LB-FT
Max Torque in Int. Gear Range	2995	LB-FT
Max Torque in Low Gear Range	2995	LB-FT
Max Torque w/o Vehicle Speed	1475	LB-FT
Lowest Gear of Top Gear Range	2.00	N/A
Lowest Gear of Int. Gear Range	3.00	N/A
Lowest Gear of Low Gear Range	6.00	N/A
Engine Protection Shutdown	N, DISABLE FEATURE OR FUNCTION	N/A
Engine Protection Restart Inhibit	N, DISABLE FEATURE OR FUNCTION	N/A
Engine Prot Coolant Level Shutdown	N, DISABLE FEATURE OR FUNCTION	N/A
Sudden Veh Speed Decel Threshold	6.96	MPH
Trip Information Vehicle Ovrsped1	0	MPH
Trip Information Vehicle Ovrsped2	0	MPH
Veh Speed Sensor Anti Tamper Level	1, HIGH LEVEL	N/A
Maintenance Monitor Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Maintenance Monitor Operating Mode	0, MAINTENANCE MONITOR AUTOMATIC MODE OF OPERATION	N/A
Maintenance Monitor Alert Percent	90	%
Maintenance Monitor Distance	15000	MILES
Maintenance Monitor Fuel	2000	GALLONS
Maintenance Monitor Time	500	HOURS

**INTERNATIONAL®****Electronic Parameters Summary**  
**2021 HV607 SBA (HV607)**

June 17, 2020

Maintenance Monitor Interval Factor	1.00	N/A
Master Password	000000	N/A
Adjustment Password	000000	N/A
Reset Password	000000	N/A

These Electronic Parameters have not been finalized

**INTERNATIONAL®**Vehicle Specifications  
2021 HV607 SBA (HV607)

June 17, 2020

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
HV60700	Base Chassis, Model HV607 SBA with 154.00 Wheelbase, 86.90 CA, and 83.00 Axle to Frame.	\$95,041.00
1570	TOW HOOK, FRONT (2) Frame Mounted	\$84.00
1ANA	AXLE CONFIGURATION {Navistar} 4x2	\$0.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	\$783.00
1LLD	BUMPER, FRONT Contoured, Steel	\$0.00
1WGR	WHEELBASE RANGE 136" (350cm) Through and Including 187" (475cm)	\$0.00
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity	\$273.00
3ADC	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers	\$67.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank	\$165.00
4AZJ	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System, with Automatic Traction Control	\$210.00
4EBD	AIR DRYER {Wabco System Saver 1200} with Heater	\$497.00
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn	\$0.00
4EXW	BRAKE CHAMBERS, REAR AXLE {Bendix EnduraSure Pro} 30/30 Spring Brake	\$81.00
4LAG	SLACK ADJUSTERS, FRONT {Gunite} Automatic	\$0.00
4LGG	SLACK ADJUSTERS, REAR {Gunite} Automatic	\$0.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	\$0.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	\$50.00
4VKJ	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail	\$91.00
4XDP	BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,600-lb Capacity	(\$1,268.00)
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	(\$1,424.00)
5708	STEERING COLUMN Tilting	\$125.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00
5PSA	STEERING GEAR {Sheppard M100} Power	\$0.00
6DGG	DRIVELINE SYSTEM {Dana Spicer} 1710, for 4x2/6x2	(\$249.00)
7BEU	AFTERTREATMENT COVER Aluminum	\$278.00
7BKS	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	\$2,128.00
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger	\$184.00
7WAZ	TAIL PIPE (1) Turnback Type	\$64.00

**INTERNATIONAL®**Vehicle Specifications  
2021 HV607 SBA (HV607)

June 17, 2020

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
7WDM	EXHAUST HEIGHT 10'	\$0.00
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
8541	HORN, ELECTRIC (2) Disc Style	\$29.00
8GXD	ALTERNATOR (Leece-Neville AVI160P2013) Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Sense	\$0.00
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$100.00
8MSG	BATTERY SYSTEM (Fleetrite) Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	\$103.00
8RGA	2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	\$211.00
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	\$138.00
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	\$483.00
8TMH	SWITCH, AUXILIARY Accessory Control; for Wiring in Roof, with Maximum of 20 amp Load with Switches In Instrument Panel	\$70.00
8VUL	BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab	\$177.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	\$0.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$42.00
8WTP	COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side	\$48.00
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	\$0.00
8XHD	BATTERY DISCONNECT SWITCH 300 Amp. Disconnects Charging Circuits, Locks with Padlock, Cab Mounted	\$397.00
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	\$94.00
8XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) & USB Port, Located in the Instrument Panel	\$38.00
8XJJ	FOG LIGHTS (2) Selective Yellow, LED	\$301.00
8XKL	STARTING MOTOR {Mitsubishi Electric Automotive America 90P47} 12-Volt, with Soft-Start	\$0.00
9AAB	LOGOS EXTERIOR Model Badges	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	\$0.00
9HAD	GRILLE Chrome	\$0.00
9WBM	FRONT END Tilting, Fiberglass, with Three Piece Construction, Sloped Front	\$0.00

**INTERNATIONAL®**Vehicle Specifications  
2021 HV607 SBA (HV607)

June 17, 2020

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10AAY	OVER THE AIR PROGRAMMING (Navistar) for Cummins Engines	\$250.00
10JPA	CUSTOMER IDENTITY for National Joint Powers Alliance	\$0.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	\$0.00
10WBS	KEYS - ALL ALIKE, ADDITIONAL 2 Keys	\$48.00
10WCY	SAFETY TRIANGLES	\$47.00
10XAN	FIRE EXTINGUISHER 5 lb Class A B C	\$154.00
10XAP	FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines	\$98.00
12EJS	ENGINE, DIESEL (Cummins B6.7 250) EPA 2017, 250HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max)	\$2,693.00
12THT	FAN DRIVE (Horton Drivemaster) Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed	\$0.00
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, with 313 SqIn Charge Air Cooler. with In-Tank Transmission Cooler	\$0.00
12VBR	AIR CLEANER with Service Protection Element	\$0.00
12VHH	FEDERAL EMISSIONS (Cummins B6.7) EPA, OBD and GHG Certified for Calendar Year 2020	\$0.00
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	\$0.00
12WBR	FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	\$29.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	\$0.00
12XAT	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls, with Ignition Switch Control, for Cummins ISB/B6.7 and ISL/L9 Engines	\$45.00
13AVG	TRANSMISSION, AUTOMATIC (Allison 3500 RDS) 5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	\$10,289.00
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter	\$50.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	\$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS), General Purpose Trucks, Construction, Package Number 223	\$0.00
13WWW	NEUTRAL AT STOP OMIT	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located inside Cab	\$141.00



**INTERNATIONAL®**Vehicle Specifications  
2021 HV607 SBA (HV607)

June 17, 2020

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
13WYU	SHIFT CONTROL PARAMETERS (Allison) 3000 or 4000 Series Transmissions, Performance Programming	\$0.00
13XAL	PTO LOCATION Customer intends to install PTO at Left Side of Transmission	\$0.00
14CDE	AXLE, REAR, SINGLE (Dana Spicer 23082T) Two-Speed, 23,000-lb Capacity, 200 Wheel Ends . Gear Ratio: 6.67, 9.08	\$4,536.00
14VAH	SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs	\$169.00
15LMN	FUEL/WATER SEPARATOR (Racor 400 Series,) 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor	\$123.00
15LMU	LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail, 8" Back of Cab	\$0.00
15SRE	FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab	\$155.00
15WDG	DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab	\$0.00
16030	CAB Conventional, Day Cab	\$0.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	\$923.00
16GDC	GAUGE CLUSTER Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display	\$0.00
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster	\$71.00
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION (Filter-Minder) with Black Bezel, Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JNV	SEAT, DRIVER (National 2000) Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust	\$157.00
16SMM	SEAT, PASSENGER (National) Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth	\$398.00
16SMW	GRAB HANDLE, EXTERIOR Black, Aluminum, for Cab Entry Mounted Left Side at B-Pillar	\$45.00
16SNP	MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7 5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	\$267.00
16SNW	MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10 5"	\$49.00
16VKB	CAB INTERIOR TRIM Classic, for Day Cab	\$0.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	\$39.00
16WEE	CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator	\$90.00
16WHJ	HOSE CLAMPS, HEATER HOSE (Breeze) Belleville Washer Type	\$25.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$367.00
16WLM	HOURLMETER, PTO for Customer Provided PTO; with Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch	\$138.00

**INTERNATIONAL®**Vehicle Specifications  
2021 HV607 SBA (HV607)

June 17, 2020

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	\$76.00
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
16XJN	INSTRUMENT PANEL Flat Panel	\$0.00
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab	\$0.00
27DTJ	WHEELS, FRONT (Maxion 90541) DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	(\$37.00)
28DTJ	WHEELS, REAR (Maxion 90541) DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	(\$58.00)
29PAR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied White Powder Coat Paint	\$24.00
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied White Powder Coat Paint	\$48.00
60AKG	BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions	\$148.00
7372135428	(4) TIRE, REAR 11R22.5 Load Range G HYBRID HD3 (CONTINENTAL), 493 rev/mile, 75 MPH, Drive	\$52.00
7372135429	(2) TIRE, FRONT 11R22.5 Load Range G ECOPLUS HS3 (CONTINENTAL), 495 rev/mile, 75 MPH, All-Position	(\$28.00)
<b>Total of Product Features</b>		<b>\$121,313.00</b>
<b>Services Section:</b>		
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	\$0.00
40LUY	SRV CONTRACT, EXT MAJOR COMP (Navistar Prepackaged Components) To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	\$620.00
40SYR	SRV CONTRACT, EXT CMS ENG/AFTR (Cummins) To 60-Month/100,000 Miles (160,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only)	\$2,150.00
40TVZ	SRV CONTRACT, EXT ALLISON XMSN (Allison) To 60-Month/Unlimited Miles/km, for Allison 3500 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05)	\$1,274.00
<b>Total of Service Features</b>		<b>\$4,044.00</b>
<b>Total List Price Including Options:</b>		<b>\$125,357.00</b>

**INTERNATIONAL®**Vehicle Specifications  
2021 HV607 SBA (HV607)

June 17, 2020

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
1	Body Description Per quote 30986-6.10.2020 TANK Body Description Per quote 30986-6.10.2020 Size-2200 GALLON SC-10 TANK; 3/16 A36 MILD STEEL Baffle-(1)FITTED AN WELDED BOTH SIDES Ladder- CONSTRUCTION WITH NON-SLIP STEPS Manway-25 DIAMETER ROUND MANWAY W/HINGED NON-SEALING LID Hydrant Fill-2-1/2 HYDRANT FILL WITH AIR GAP Sight Gauge-FRONT AND REAR Fenders-12 GAUGE STEEL CONSTRUCTION Rear Bumper-PUSH PLATE BUMPER CONSTRUCTION W/STORAGE Lights-STANDARD DOT SPECIFICATIONS; WIRING IN CONDUIT Backup Alarm-PETERSON 780 Coating-SANDBLAST INTERIOR OF TANK, SPRAY IN EPOXY LINER Paint-TANK EXTERIOR POWDER COATED WHITE Warranty-FIVE YEAR TANK CONSTRUCTION WARRANTY  PUMP AND PLUMBING Pump-CAST IRON 4X3 CENTRIFUGAL PUMP W/ MECHANICAL SEAL Drive-HOT SHIFT PTO; DRIVE SHAFT FROM PTO TO WATER PUMP Front Spray-(2) UTEAV1100 AIR OP VALVES; (2) 3 FLUSHERS Side Spray-(2) UTE AIR OP VALVES; (2) 3 LOWERED FLUSHER NOZZLES Jet Valve-2-1/2 BALL VALVE REAR OF TRUCK Hose Reel-12 VOLT REWIND HOSE REEL w/50 X 1-1/2 HOSE & NOZZLE Console-FOUR SWITCH CAB MOUNTED CONTROL CONSOLE PLUS PTO Hydraulic Drive- FORCE AMER HYDRAULIC DRIVE W/CAB SPEED CONTROLLER Pressure-PLATFORM FOR PRESSURE WASHER & 2 TANK CONNECTIONS Warranty-ONE YEAR PLUMBING PARTS WARRANTY  <b>Total Body Allied:</b>	\$43,575.00
FLOORPLAN	FLOORING INTEREST, ADDITIONAL, 90, For Body Installation, Transportation and Net 30 Payment Terms	\$1,487.00
FET	FET Tire Credit	(\$151.68)
NAV	GOVERNMENT SILVER PACKAGE, Includes 2-Year Access to OnCommand Parts Information and OnCommand Service Information System	\$0.00
	<b>Total Goods Purchased:</b>	<b>\$1,335.32</b>



RWC Group is pleased to provide you with this proposal compliant with all terms of the Sourcewell Vehicles and Chassis Contract #081716-NVS awarded to Navistar, Inc for new International Truck. If you have any questions regarding enrollment in Sourcewell or detailed contract terms and conditions, please see your International Truck sales representative.

PROPOSAL PREPARED FOR:		PROPOSAL PREPARED BY:	
Sourcewell Member:	Petersburg Borough		
Contact:	Chris Cotta		
Address:	PO Box 329	Greg Martin / RWC Group	
City/State/Zip:	Petersburg, Alaska 99833-0329	Anchorage, Alaska 99507	
Phone:	(907)772-4430	(907)265-0223	
Email:	ccotta@petersburg.gov	gmartin@RWCgroup.com	

Proposal Number	5071-04
Date	6/16/2020
Quantity of this Specification	1
Single Sourcewell Transaction Total Volume	1

<b>Chassis</b>			
New 2021 International HV607 4x2 Chassis			\$ 121,313.00
Base Chassis List	\$ 95,041.00		
Options List	\$ 26,272.00		
Sourcewell Contract Discount	33.4%	\$ (40,518.54)	
Volume Incentive		\$ -	
Net Sourcewell Chassis Price		\$ 80,794.46	
<b>Non-Sourcewell Dealer Supplied Body</b>			
		\$ -	
		\$ -	
		\$ -	
		\$ -	
<b>Sourcewell Partner Body</b>			
Water Tank, 2200 Gallon SC-10 Tank, Per Quote 030986 - 06/11/20		\$ 41,500.00	
		\$ -	
		\$ -	
		\$ -	
Handling Fee	5.00%	\$ 2,075.00	
<b>Additional Post Build Work</b>			
		\$ -	
		\$ -	
		\$ -	
		\$ -	
		\$ -	
Handling Fee	5.00%	\$ -	
<b>Service Contracts</b>			
SERVICE CONTRACT, Allison ETC to 60 Months / Unlimited Miles		\$ 1,274.00	
SERVICE CONTRACT, EXT CMS ENG/AFT to 60-Months/100,000 Miles		\$ 2,150.00	
SERVICE CONTRACT, EXT MAJOR COMP to 60-Months/100,000 Miles		\$ 620.00	
<b>Additional Freight</b>			
FREIGHT CHARGE - Phoenix, AZ to Seattle, WA		\$ 2,950.00	
FREIGHT CHARGE - Seattle WA to Petersburg, AK		\$ 2,120.00	
<b>Additional Floorplan</b>			
FLOORING INTEREST, Additional, 90 for Body Installation, Transportation, and Net 30 Payment Terms		\$ 1,487.00	
		\$ -	
<b>Additional Fees &amp; Taxes</b>			
		\$ -	
		\$ -	
Total Sourcewell Customer Price FOB Petersburg		\$ 134,970.46	

Terms: Sourcewell quote price is FOB Petersburg, Alaska. Price does not include fees for title and registration. Price is valid for 30 Days. Please allow 210 days for delivery.